

**U. S. PLANT PATENT APPLICATION OF**

**CHRISTA KIEVIT**

**FOR: FUCHSIA PLANT NAMED**

**‘KIEFUDIMI’**

KIEVIT, Christa

TITLE: FUCHSIA PLANT NAMED 'KIEFUDIMI'

APPLICANT: CHRISTA KIEVIT

BOTANICAL CLASSIFICATION/CULTIVAR DESIGNATION:

*Fuchsia X hybrida* cultivar Kiefudimi

5

## BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of Fuchsia plant, botanically known as *Fuchsia X hybrida*, and hereinafter referred to by the name 'Kiefudimi'.

10

The new Fuchsia is a product of a planned breeding program conducted by the Inventor in Venhuizen, The Netherlands. The objective of the breeding program was to create new Fuchsia cultivars with an upright and compact plant habit, numerous flowers and attractive flower coloration.

15

The new Fuchsia originated from a cross-pollination made by the Inventor in 1999 of a proprietary selection *Fuchsia X hybrida* identified as code number 6277-1, not patented, as the female, or seed, parent with a proprietary selection *Fuchsia X hybrida* identified as code number 3201-4, not patented, as the male, or pollen, parent. The cultivar Kiefudimi was discovered and selected by the Inventor as a flowering

plant within the resulting progeny of the stated cross-pollination in a controlled environment in Venhuizen, The Netherlands.

Asexual reproduction of the new Fuchsia by terminal cuttings taken at Venhuizen, The Netherlands, since the autumn of 1999 has  
5 shown that the unique features of this new Fuchsia are stable and reproduced true to type in successive generations.

#### BRIEF SUMMARY OF THE INVENTION

The cultivar Kiefudimi has not been observed under all possible environmental conditions. The phenotype may vary somewhat with  
10 variations in environment such as temperature and daylength, without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'Kiefudimi'. These characteristics in combination distinguish 'Kiefudimi' as a new and  
15 distinct Fuchsia cultivar:

1. Compact and upright growth habit.
2. Freely branching habit; dense and full plant habit.
3. Red purple and purple-colored flowers.
4. Freely and continuous flowering habit.

Compared to plants of the female parent selection, plants of the new Fuchsia have darker colored leaves. Plants of the male parent selection and the new Fuchsia differ in flower coloration.

5 Compared to other Fuchsia cultivars known to the Inventor with red purple and purple-colored flowers, plants of the new Fuchsia are more uniform, flower earlier and more continuously, and are more durable.

#### BRIEF DESCRIPTION OF THE PHOTOGRAPHS

10 The accompanying colored photographs illustrate the overall appearance of the new Fuchsia, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new Fuchsia.

15 The photograph at the top of the sheet comprises a side perspective view of a typical potted plant of 'Kiefudimi'. The photograph at the bottom sheet is a close-up view of typical developing flowers, opened flowers and leaves of 'Kiefudimi'.

#### DETAILED BOTANICAL DESCRIPTION

20 The aforementioned photographs and following observations and measurements describe plants grown in Lompoc, California, under

KIEVIT, Christa

commercial practice during the summer and early fall in a polycarbonate-covered greenhouse with day temperatures about 21 to 27°C, night temperatures about 16 to 18°C, and light levels about 5,000 to 9,000 foot-candles. One cutting was planted per 10-cm container and  
5 plants were grown for about 13 weeks. In the following description, color references are made to the Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

#### BOTANICAL CLASSIFICATION:

10 *Fuchsia X hybrida* cultivar Kiefudimi.

#### PARENTAGE:

Female or seed parent: Proprietary selection of *Fuchsia X hybrida* identified as code number 6277-1, not patented.

Male, or pollen, parent: Proprietary selection of *Fuchsia X hybrida*  
15 identified as code number 3201-4, not patented.

#### PROPAGATION:

Type cutting: Terminal cuttings.

Time to initiate roots, summer and winter: About 14 days at 21°C.

Time to produce a rooted cutting:

20 Summer: About 28 days at 21°C.

Winter: About 32 days at 21°C.

Root description: Fine, fibrous and white in color.

Rooting habit: Freely-branching.

PLANT DESCRIPTION:

5           Form: Upright growth habit, relatively compact and freely  
branching habit; plants become drooping with weight of flowers;  
dense and full plants. Freely flowering. Appropriate for 10 to 15-  
cm containers. Moderately vigorous.

Plant height at flowering: About 15 cm.

Plant diameter at flowering: About 20 cm.

10          Branching habit: Freely branching; typically five lateral branches  
develop per plant. Pinching (removal of terminal apex) enhances  
lateral branch development.

Lateral branch description:

Length: About 14 cm.

15           Diameter: About 3 mm.

Internode length: About 2 cm.

Aspect: Upright.

Strength: Strong.

Texture: Slightly pubescent.

20           Color: 59C.

Foliage description:

Arrangement: Opposite, simple.

Length: About 3.7 cm.

Width: About 2 cm.

5            Shape: Elliptic to lanceolate.

Apex: Acute.

Base: Obtuse.

Margin: Entire with regular minute points.

Texture, upper and lower surfaces: Smooth, glabrous.

10           Venation pattern: Pinnate, arcuate.

Petiole length: About 8 mm.

Petiole diameter: About 1.5 mm.

Petiole texture, upper and lower surfaces: Smooth, glabrous.

Color:

15           Developing leaves, upper surface: 146A.

Developing leaves, lower surface: 146B.

Fully expanded leaves, upper surface: 147A.

Fully expanded leaves, lower surface: 147B.

Venation, upper surface: 147B.

20           Venation, lower surface: 147C.

Petiole, upper and lower surfaces: 146C tinged with  
59D.

**FLOWER DESCRIPTION:**

5 Flower type and habit: Single bi-colored axillary flowers. Freely  
and flowering; potentially two flowers per leaf axil; about two to  
four open flowers and about four to six flower buds per lateral  
branch. Flowers not persistent. Flowers not fragrant.

Natural flowering season: April through October in northern  
Europe; flowering continuous during this period.

10 Flower longevity: Flowers last about seven days on the plant.

Flower orientation: Initially upright, then pendulous.

Flower diameter: About 4 cm.

Flower height: About 5.8 cm.

Flower buds:

15 Shape: Elongated.

Length: About 3 cm.

Width: About 9 mm.

Color: 67A.

Petals:

20 Quantity: Four; imbricate.

Length: About 1.5 cm.



*KIEVIT, Christa*

Width: About 1.4 cm.

Shape: Fan-shaped.

Apex: Rounded.

Margin: Entire.

5                      Texture, upper and lower surfaces: Glabrous, smooth and velvety.

Color:

When opening, upper and lower surfaces: 79B.

Fully opened, upper surface: 61A; towards base, 61B.

10                      Fully opened, lower surface: 61A.

Sepals:

Quantity: Four; fused at base.

Length: About 2.2 cm.

Width: About 8 mm.

15                      Aspect: Flat; somewhat recurved.

Shape: Elliptic to lanceolate.

Apex: Acuminate.

Margin: Entire.

Texture, upper and lower surfaces: Glabrous, smooth, waxy.

20                      Color:

When opening, upper surface: 67A to 67B.

When opening, lower surface: 67B.

Fully opened, upper surface: 67A.

Fully opened, lower surface: 67A to 67B.

Peduncles:

- 5                   Length: About 2 cm.  
                    Diameter: About 1.5 mm.  
                    Aspect: About 45 to 60° from the stem.  
                    Strength: Moderately strong.  
                    Texture: Smooth, glabrous.
- 10                  Color: 144B.

Reproductive organs:

Stamens:

- Stamen number: Eight per flower.  
                    Anther length: About 3 mm.
- 15                  Anther diameter: About 2 mm.  
                    Anther shape: Oblong.  
                    Anther color: 67A.  
                    Pollen amount: Moderate to abundant.  
                    Pollen color: 60A.

20                  Pistils:

                    Pistil number: One per flower.

*KIEVIT, Christa*

Pistil length: About 5.4 cm.

Style length: About 4.8 cm.

Style color: 67A.

Stigma shape: Ovate.

5 Stigma color: 68C.

Ovary color: 144A.

Seed/fruit: Seed and fruit production has not been observed.

#### DISEASE/PEST RESISTANCE:

10 Plants of the new Fuchsia have not been observed to be resistant to pathogens and pests common to Fuchsias.

#### TEMPERATURE TOLERANCE:

Plants of the new Fuchsia have been observed to tolerate low temperatures of 10°C and high temperatures of 30°C.

#### GARDEN PERFORMANCE:

15 Plants of the new Fuchsia perform have been observed to perform well in the garden and are tolerant to rain and wind.